## **GGPLOT**

```
beav=read.table('beavers.tab',header=T)
head(beav)
```

```
beaver day1 day2 day3 day4 loc
##
       b1
                         6 loc1
## 1
            2
                4
                     0
            1
                6
                     1 2 loc2
## 2
       b1
                5
## 3
       b1
            3
                     1 2 loc3
       b2
            5
                6
                     8 9 loc1
## 4
                5
            7
                     6 4 loc2
## 5
       b2
## 6
       b2
            3
                4
                     9
                         2 loc3
```


```
beav_longer <- beav %>%
  pivot_longer(cols = starts_with("day"))
head(beav_longer)
```

```
## # A tibble: 6 x 4
## beaver loc name value
## <fct> <fct> <chr> <int>
## 1 b1 loc1 day1 2
## 2 b1 loc1 day2 4
## 3 b1 loc1 day3 0
## 4 b1 loc1 day4 6
## 5 b1 loc2 day1 1
## 6 b1 loc2 day2 6
```


```
beav_wide <- beav_longer %>%
  pivot_wider(names_from = name, values_from = value)
head(beav_wide)
```


```
## # A tibble: 6 x 6
## beaver loc day1 day2 day3 day4
## <fct> <fct> <int> <int> <int> <int> <int> <int> <int> <int> <int> <int > <int >
```

```
p<- ggplot(beav_longer, aes(x = name, y = value))
p + geom_boxplot()</pre>
```




```
p<- ggplot(beav_longer, aes(x = name, y = value))
p + geom_boxplot(aes(fill=beaver))</pre>
```






```
x <- LETTERS[1:5]
y <- paste0("var", seq(1,5))
data <- expand.grid(X=x, Y=y)
data$Z <- runif(25, 0, 5)</pre>
```


```
ggplot(data, aes(X, Y, fill= Z)) +
  geom_tile()
```




```
ggplot(data, aes(X, Y, fill= Z)) +
  geom_tile() +
  scale_fill_gradient(low="white", high="blue")
```




```
ggplot(data, aes(X, Y, fill= Z)) +
  geom_tile() +
  geom_text(aes(label = round(Z,1)), color = "blac
k", size = 4) +
  scale_fill_distiller(palette = "RdPu")
```




data <- as.matrix(mtcars)
heatmap(data)</pre>



## heatmap(data, scale="column")




heatmap(data, Colv = NA, Rowv = NA, scale="column")




```
heatmap(data, Colv = NA, Rowv = NA, scale="column", xlab="variable", ylab="car",
main="heatmap")
```

## heatmap




```
library(RColorBrewer)
heatmap(data, scale="column", cexRow=0.8, labRow=paste("new_", rownames(data),
sep=""), col= colorRampPalette(brewer.pal(8, "Blues"))(25))
```



```
col= colorRampPalette(brewer.pal(8, "Blues"))(25)
col
```

```
## [1] "#F7FBFF" "#EFF6FC" "#E8F1FA" "#E1ECF8" "#DAE8F5" "#D3E3F3" "#CCDEF1" ## [8] "#C4DAEE" "#B8D5EA" "#ADD0E6" "#A1CBE2" "#93C4DE" "#84BBDB" "#75B3D8" ## [15] "#67ABD4" "#5BA3D0" "#4F9BCB" "#4393C6" "#3989C1" "#3080BC" "#2676B7" ## [22] "#1D6BB0" "#165EA7" "#0F519D" "#084594"
```



```
my_group <- as.numeric(as.factor(substr(rownames(data), 1 , 1)))
colSide <- brewer.pal(9, "Set1")[my_group]
colMain <- colorRampPalette(brewer.pal(8, "Blues"))(25)
heatmap(data, Colv = NA, Rowv = NA, scale="column", RowSideColors=colSide,
col=colMain)</pre>
```

